



Ceramic Disc Brake Pad Set 120mm X 50mm X 15mm with Low Noise Operation for Optimal Performance

Our Product Introduction

Basic Information

- Brand Name: Herito
- Model Number: ZK-10001
- Minimum Order Quantity: 50
- Price: 6
- Packaging Details: export packing
- Delivery Time: 30 days
- Payment Terms: T/T
- Supply Ability: 4 million



Product Specification

- Package Quantity: 1 Set
- Friction Coefficient: 0.35
- Thickness: 12 Mm
- Product Dimensions: 8.5 X 6.5 X 0.7 Inches
- Brake Dimensions: 120mm X 50mm X 15mm
- Noise Level: Low Noise
- Highlight: **Ceramic Material Disc Brake Pad Set,
Low Noise Operation Brake Pad Set,
120mm X 50mm X 15mm Ceramic Brake Pads**

for more products please visit us on heritobrake.com

Product Description

Disc Brake Pad Set - Package Quantity 1 Set

This precision-engineered Disc Brake Pad Set delivers optimal braking performance with dimensions of 120mm × 50mm × 15mm. Designed as an essential component for vehicle safety and efficiency, these brake pads provide outstanding stopping power while maintaining low noise levels for both everyday driving and demanding conditions.

Key Features

- High-quality disc brake pads designed for reliable performance
- Ceramic brake pads with friction coefficient of 0.35 for effective stopping power
- Excellent wear resistance and durability
- Parking brake type design for optimal safety
- 12mm pad thickness ensuring long-lasting use
- All necessary hardware included for easy installation

Technical Specifications

UPC	123456789012
Package Quantity	1 Set
Noise Level	Low Noise
Dimensions	120mm × 50mm × 15mm
Braking System	TKO
Friction Coefficient	0.35
Durability	High Wear Resistance
After Service	Yes
Hardware Included	Yes
Product Dimensions	8.5 × 6.5 × 0.7 Inches

Applications

The Herito Disc Brake Pad Set (Model ZK-10001) provides superior braking performance for various vehicles. These ceramic brake pads are ideal for daily commuting, long-distance travel, and high-performance driving scenarios. Their heat and wear resistance make them suitable for demanding conditions including urban driving, mountainous terrain, towing, and heavy load applications.

Installation & Support

For optimal performance, use a proper brake pad tool during installation to ensure correct fitting and prevent damage to the braking system. We recommend replacing brake pads in pairs and inspecting the entire braking system during each replacement.

- Warranty:** 12-month warranty covering manufacturing defects
- Support:** Comprehensive after-service support available

Maintenance Guidelines

Regular inspection and maintenance of your braking system will help extend brake pad life and ensure safety. Use only manufacturer-approved brake fluids and avoid contamination of brake surfaces with grease or oil. Follow local regulations for proper disposal and recycling of used brake pads.

